CORRECTION Open Access

Correction: Fast and robust single PCR for *Plasmodium* sporozoite detection in mosquitoes using the cytochrome oxidase I gene

Diego F. Echeverry^{1*}, Nicholas A. Deason¹, Victoria Makuru¹, Jenna Davidson¹, Honglin Xiao¹, Julie Niedbalski¹, Xiaoyu Yu¹, Jennifer C. Stevenson^{2,3}, Hugo Bugoro^{4,5}, Allan Aparaimo⁴, Hedrick Reuben⁶, Robert Cooper⁷, Thomas R. Burkot⁸, Tanya L. Russell⁸, Frank H. Collins¹ and Neil F. Lobo¹

Correction: Malar J (2017) 16:230 https://doi.org/10.1186/s12936-017-1881-1

Following publication of the article [1], it came to the attention of the author's that there was an error concerning the ordering of a primer detailed in the Methods subsection, Single step PCR for Plasmodium sporozoite detection based on the cytochrome oxidase I. Namely, where it now (correctly) says 'COX-IR (5' ACTTAATGG

The original article can be found online at https://doi.org/10.1186/s12936-017-1881-1.

*Correspondence:

decheve1@nd.edu

- $^{\rm 1}$ Eck Institute for Global Health, University of Notre Dame, Notre Dame, IN 46556, USA
- ² Johns Hopkins Malaria Research Institute, Johns Hopkins Bloomberg School of Public Health, Baltimore, MD, USA
- ³ Macha Research Trust, Choma, Zambia
- ⁴ National Vector Borne Disease Control Programme, Ministry of Health and Medical Services, Honiara, Solomon Islands
- ⁵ Research Department, Solomon Islands National University, Honiara, Solomon Islands
- ⁶ Western Province Malaria Control, Gizo, Western Province, Solomon Islands
- ⁷ Australian Army Malaria Institute, Gallipoli Barracks, Enoggera 4052,
- ⁸ Australian Institute of Tropical Health and Medicine, James Cook University, Cairns, QLD 4870, Australia

TGGATATAAAGTCCATCCwGT 3'); it had said 'COX-IR (3' ACTTAATGGTGGATATAAAGTCCATCCwGT 5'). The authors thank you for reading this erratum and apologize for any inconvenience caused.

Published online: 18 October 2024

Reference

 Echeverry DF, Deason NA, Makuru V, Davidson J, Xiao H, Niedbalski J, Yu X, Stevenson JC, Bugoro H, Aparaimo A, Reuben H, Cooper R, Burkot TR, Russell TL, Collins FH, Lobo NF. Fast and robust single PCR for *Plasmodium* sporozoite detection in mosquitoes using the cytochrome oxidase I gene. Malar J. 2017;16:230. https://doi.org/10.1186/s12936-017-1881-1.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.